

Eiger Sub Trap | Range

Bass Trap
RESIDENTIAL & Hi Fi

Specifications

Installation : Integrated fixing system

**Description**


Low frequency control is the foundation of acoustic treatment. Strong modal frequencies can be the make-or-break of many rooms, often uncontrollable without altering room structure.

Enter the Sub Trap - a new approach on low frequency control - a fine-tuneable device with unprecedented performance.

The Sub Trap is a new category of acoustic treatment, targeting the sub-bass frequency range. It boasts the highest absorption coefficient per volume on the market.

It employs Artnovion's latest membrane technology - a symbiosis of precision engineering and material science - creating a device that can be precisely calibrated to work at the exact resonant frequency of a space.


Technical Information**Performance**



hello@artnovion.com
www.artnovion.com
15/12/2018

Eiger Sub Trap - Range

PATENT
PENDING



Fine-tuning possibilities


- [39 Hz
42 Hz]
- [43 Hz
46 Hz]
- [47 Hz
50 Hz]
- [51 Hz
54 Hz]
- [55 Hz
58 Hz]
- [59 Hz
62 Hz]

Eiger Sub Trap | Range


Bass Trap
RESIDENTIAL & Hi Fi

Specifications

Installation : Integrated fixing system






3 Acoustic cores
TPDA




VABT
Velocity absorber bass trap

TPDA
Tuneable piston diaphragm absorber



Sub Trap - Corner



Sub Trap - Stand Alone

Product finishes

(FG) Product Fire Grade - Furniture Grade



FG | (W03) Wenge



FG | (W04) Fagus



hello@artnovation.com

www.artnovation.com

15/12/2018